

PORTFOLIO BULLETIN

2020-061 | November 27



Introduction

This Portfolio Bulletin informs you of the release of the SL2100 R3.0 Software.

Consistently improving the product, we now announce the release of SL2100 R3.0 software giving a mix of new IP terminals, features and improvements to the portfolio.

R3.0 software includes these new and enhanced features:-

Support for the DT930 24CG IP terminal

The range of IP terminals is increased with the addition of the DT930 24 Button colour display IP terminal.

With support for connection of the DT5300/DT900 60 button DSS console and Gigabit is built-in (no licence required).

The terminal supports:

- Full colour 4.3" LCD display
- Backlit LCD, keypad and line keys
- Full length multi-colour lamp
- Hands-free, full duplex
- Headset support & EHS support
- Network support 10/100/1G Ethernet
- PoE or Power adapter
- Wideband audio
- Hearing Aid Compatible handset
- Wall mountable



Support for the DT530/DT900 DSS console connection to the DT930 24CG IP terminal

With the connection of the DT530/DT900 60 Button DSS console the SL2100 now supports the DSS console in a full IP solution.

The DSS console connects directly to the 24CG terminal and requires an AC Adapter.



InUC with ST500 on the GT890 UC Terminal

InUC adds Presence and IM for the ST500 Smart Phone application running on the GT890 UC terminal.

The ST500 requires the NEC IP Extension license EU909388.
The InUC add on requires the InUC User license BE116758.



SIP trunk 64 digit password

Security is an ever-changing and evolving requirement. Some SIP Trunk Carriers are now able to support 64 Character Passwords. A small number of carriers have even made this mandatory.

Pricing aspects & Items

The following new items are now supported with SL2100 R3.0 Main Software.

Product code	Items	Description
BE118955	ITK-24CG-1P(BK)TEL	DT930 24CG IP terminal
FRA012-S24-I	AC/DC Adapter 24V/8W Multi Region	AC adapter for use with the DT530/DT900 DSS console when connected to the 24CG Ip terminal

The DT530/DT900 60 button DSS console BE119005 is already available for connection to the DT530 Digital terminal.

There are no new licences introduced with SL2100 R3.0.

Pricing can be obtained from your NEC representative/Channel Manager or Prophix

Support

Please note that from December 2020 the supported versions of SL2100 Main Software will be V2.x and V3.x. For more information please see Supported releases page.

Documentation

The SL2100 Documentation below is now available:

- SL2100 R3.0 Release Overview
- SL2100 Market Introduction presentation
- SL2100 R3.0 Hardware Manual
- SL2100 R3.0 Features & Specifications Manual
- SL2100 Quick Install Guide – DCK-60 DSS Console

Training

Please refer to the Release Overview for details on configuration and training required.

Availability & Order Information

SL2100 R3.0 Main Software will be available to download for the Software Database from November 27th 2020.

The 24 CG IP terminal will be available in ProphixCPQ in December 2020.